

Statement of Deficiencies

1713.A.&B.&C.: Supervision

Not Met

1713.A.&B.&C.: A: Children shall be supervised at all times in the center, on the playground, on field trips, on non-vehicular excursions, and during all water activities and water play activities.

B: Children shall not be left alone in any room, (except the restroom as indicated in Subsection G of this Section or when being provided services by therapeutic professionals, as defined in §103), outdoors, or in vehicles, even momentarily, without staff present.

C: A staff person shall be assigned to supervise specific children whose names and whereabouts that staff person shall know and with whom the staff person shall be physically present. Staff shall be able to state how many children are in their care at all times.

Finding:

1713.A.: Supervision Based on observations and interviews: Children failed to be supervised at all times in the center. On 1/17/2020, at 11:30am, Specialist observed center's video recording from 1/16/2020 that showed S7 at the door of the classroom, holding a child, talking, with her back turned to the direction of C1 11 months old, while he pulled on a towel underneath the bottle warmer causing hot water to spill on his face and shoulder.

Corrective Action: S1 stated the bottle warmer was removed from previous location and placed in a more secured location.

1901.I.: Microwave Ovens, Bottle Warming Devices, Crock Pots

Not Met

1901.I.: Microwave ovens, bottle warming devices and crock pots are prohibited in areas accessible to children.

Finding:

1901.I. 1901.I. Based on observations and interviews on 1/17/2020 at 11:30am: Although the bottle warming device was on a shelf in an area inaccessible to children on 1/16/2020, S7 placed the bottle warming device on top of a towel that was in C1's, 11 month old, reach. C1 pulled on a towel located under the bottle warmer on the shelf in the classroom, causing the bottle warmer to fall over allowing hot water to fall on C1's face and shoulder resulting First and Second degree burns.

Corrective Action: S1 stated the bottle warmer was removed from previous location and placed in a more secured location.

1903.C.: Free of Hazards

Not Met

1903.C.: Indoor and outdoor areas shall be free of hazards.

Finding:

1903.C. Based on interview(s) on 1/17/2020 at 11:30am: On 1/16/2020 at 10:28am, S7 failed to ensure the indoor area was free of hazards as S7 placed the bottle warming device on top of a towel that was in C1's, 11 month old, reach. C1 pulled on a towel located under the bottle warmer on the shelf in the classroom, causing the bottle warmer to fall over allowing hot water to fall on C1's face and shoulder resulting First and Second degree burns.

Corrective Action: S1 stated the bottle warmer was removed from previous location and placed in a more secured location.

1915.D.: Health Services - Delay Seeking Care

Not Met

1915.D.: The center shall not delay seeking care while attempting to contact a parent if emergency medical attention is required.

Finding:

1915.D. Based on record review: On 1/16/2020, at 10:28am, Center staff, S7, S2, and S15, delayed seeking care while attempting to contact O1 when emergency medical attention was required. C1, age 11 months, obtained first and second degree burns as a result of hot water from a bottle warmer splashing on him. S7 contacted O1 at 10:29am. C1 did not receive care until he was picked up from the center by O2 at 11:30am. There was no call made to emergency personnel.

Corrective Action: S1 stated she will provide training to all staff on contacting Emergency Personnel timely and delaying to seek emergency care to contact parents.