

Statement of Deficiencies

1903-C: Free of Hazards

Not Met

1903-C: Indoor and outdoor areas shall be free of hazards.

Finding:

1903-C: Free of Hazards: Based on observations the indoor area was not free of hazards as on 1/30/18 while completing a walk through of the center the Specialist identified in S8's classroom a 20 inch silver older model box television on top of a mini Frigidaire with was sitting on top of a white folding table. When specialist checked the setup for stability it was noticed that it was not stable and was a tipping hazard. Specialist informed S1 of the hazard and the television was removed from the room while the Specialist was still on the center premises.

On 1/30/18 the Specialist observed a pair of blue adult scissors sitting on top of a three tier book shelf in S6's classroom. The Specialist informed S1 of the hazard and the scissors were removed from the room while the Specialist was still on the center premises.

1915-B.&C: Health Services - Parental Notification

Not Met

1915-B.&C:

B. Reporting. Incidents, injuries, accidents, illnesses, and unusual behavior shall be documented and reported to the parent no later than when the child is released to the parent or authorized representative on the day of the occurrence.

C. Immediate Notification. The parent shall be immediately notified in the following circumstances:

1. blood not contained in an adhesive strip;
2. head or neck or eye injury;
3. human bite that breaks the skin;
4. animal bite;
5. impaled object;
6. broken or dislodged teeth;
7. allergic reaction skin changes (e.g. rash, spots, swelling, etc.);
8. unusual breathing;
9. symptoms of dehydration;
10. temperature reading over 101° oral, 102° rectal, or 100° axillary; or
11. injury or illness requiring professional medical attention.

Finding:

1915-B.&C.: Health Services-Parental Notification: Based on record review and interview of center staff (S5) C1 is redirected daily to stop flipping and participating in gymnastic activities in the center. The center failed to have any documentation that the unusual behavior has occurred in the center with C1 daily.