

## Statement of Deficiencies

### 1723-A.&B.: CPR Certification

Not Met

1723-A.&B.: A - Infant and child CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR.

B - Adult CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR.

#### Finding:

1723-A.&B.: Based on record review and interview: The Provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in infant and child CPR. 2 of 8 staff had documentation of this certification. The Provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in adult CPR. 2 of 8 staff had documentation of this certification. S1 stated that she completed CPR training for all staff, but was unable to locate verification.

### 1723-C.-D.: Pediatric First Aid

Not Met

1723-C.-D.:

C. Pediatric First Aid - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid.

D. Certification - A copy of the certification for each such staff member shall be on-site at all times and available for inspection by the Licensing Division.

#### Finding:

1723-C.-D.: Based on record review and interview: The Provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in Pediatric First Aid. 2 of 8 staff had documentation of this certification. S1 stated that PFA classes were taken; however, she was unable to locate verification.

### 1901-G.&H.: Equipment

Not Met

1901-G.&H.: All equipment used by children shall be maintained in a clean and safe condition and in good repair. Moveable equipment shall be secured and supported so that it shall not fall or tip over.

#### Finding:

1901-G.&H.: Based on observations: All of the center equipment used by children was not maintained in good repair. Specialist observed a broken green patio umbrella in play yard 2 at the rear right corner. S1 removed prior to Specialist departure.

### 1901-P: Staff Personal Belongings

Not Met

1901-P: The personal belongings of center staff members shall be inaccessible to children.

#### Finding:

1901-P Based on observations: The personal belongings of center staff members was accessible to children as evidenced by, Specialist observed 2 staff purses on the banister in classroom 3. S1 removed prior to Specialist departure.

### 1911-G: Pacifier Attached

Not Met

1911-G: Pacifiers attached to strings or ribbons shall not be placed around the neck or attached to the clothing of a child.

#### Finding:

1911-G Based on observations: A pacifier that was attached to strings or ribbons was attached to the clothing of 4 children in care. Provider corrected prior to Specialist departure.