

## Statement of Deficiencies

### 1723.A.&B.: CPR Certification

**Not Met**

1723.A.&B.: A. Infant and child CPR. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR through training approved by the department.

B. Adult CPR. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR through training approved by the department.

#### Finding:

1723.A.: Based on record review: The provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in infant and child CPR through training approved by the department. 2 of 6 staff had documentation of this certification.

### 1723.C.: Pediatric First Aid

**Not Met**

1723.C.: Pediatric First Aid. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in pediatric first aid through training approved by the department.

#### Finding:

1723.C. Based on record review: The provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in Pediatric First Aid through training approved by the department. 2 of 6 staff had documentation of this certification.

### 1903.C.: Free of Hazards

**Not Met**

1903.C.: Indoor and outdoor areas shall be free of hazards.

#### Finding:

1903.C. Based on observations/ Interviews: The outdoor area was not free of hazards as evidenced by at 9:50am on 05/15/19 specialist conducted a walk through of the centers play yard and observed two boards missing from the centers wooden fence.