

Statement of Deficiencies

5325-G: Equipment in Good Repair

Not Met

5325.G. All play equipment and equipment necessary for the operation of the center shall be maintained in good repair.

Finding:

7325.G (old tag #5325.G.) The provider did not maintain play equipment necessary for the operation of the center in good repair as specialist observed and photographed little tykes play house in disrepair by the stairs; the sides were coming off the house making the house unsafe for children to climb up and slide down.

5325-L: Appropriate Sleeping Arrangements

Not Met

5325.L. Individual and appropriate sleeping arrangements shall be provided for each child. Each child shall be provided with a cot, mat, or crib (baby bed) of appropriate size, height, and material, sufficient to ensure his/her health and safety. Each infant shall have a crib separated from all other cribs (non-stackable). Playpens shall not be substituted for cribs.

Finding:

7325.L (old tag #5325.L.) The Provider substituted playpens for cribs. Specialist observed 1 year old in playpen upon arrival to the center.

5327-H: Strings and Cords

Not Met

5327.H. Strings and cords (such as those found on window coverings) shall not be within the reach of children.

Finding:

7327.H (old tag #5327.H.) Cord was within reach of children as specialist observed electric pencil sharpener within reach of children and placed by music center.

5327-L: Clean of Hazards

Not Met

5327.L. The center and yard shall be clean and free from hazards.

Finding:

7327.L (old tag #5327.L.) The center and yard were not free of hazards as specialist observed the following:
INSIDE: 2 toddler chairs stacked and unsteady in rows of four by block center- unsteady and children can climb on them and fall.
OUTSIDE: On back porch leading to play yard there was a small fridge blocking the exit- fire hazard and tripping hazard for children.