

Statement of Deficiencies

1723-A.-B.: CPR Certification

Not Met

1723-A.-B.: A - Infant and child CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR.

B - Adult CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR.

Finding:

1723-A.-B. Based on observations/record review: The Provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in infant and child CPR. One of four staff had documentation of this certification.

1723-C.-D.: Pediatric First Aid

Not Met

1723-C.-D.:

C. Pediatric First Aid - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid.

D. Certification - A copy of the certification for each such staff member shall be on-site at all times and available for inspection by the Licensing Division.

Finding:

1723-C.-D. Based on observations/record review: The Provider did not have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in Pediatric First Aid. One of four staff had documentation of this certification.

1901-G.-H.: Equipment

Not Met

1901-G.-H.: G. All equipment used by children shall be maintained in a clean and safe condition and in good repair.

H. Moveable equipment shall be secured and supported so that it shall not fall or tip over.

Finding:

1901-G.-H. Based on observations:

All of the center equipment used by children was not maintained in a clean and safe condition and in good repair.

- Specialist observed a broken slide and attachment in the outdoor play area.