Statement of Deficiencies

1507-B: Daily Attendance Records - Staff and Owners

1507-B: A daily attendance record for all staff members and owners shall be maintained that shall:

- 1. include the first and last name of the staff member or owner and arrival and departure times;
- 2. accurately reflect the staff members and owners on the center premises at any given time; and
- 3. be used to document staff members and owners who leave and return to the center during the day

Finding:

1507-B Based on record review: The center's staff and owner's daily attendance record did not accurately reflect persons on the child care premises at any given time as evidenced by S1 was not signed out when specialist arrived at the center. S1 arrived shortly after specialist. S1 corrected during inspection.

1725-A.-E.: Medication Management Training

1725-A.-E.: A. All staff members who administer medication shall have medication administration training.

- B. Whether administering medication or not, each early learning center shall have at least two staff members trained in medication administration.
- C. Such training shall be completed every two years with an approved Child Care Health Consultant.
- D. A licensed practical nurse (LPN) or registered nurse (RN) with a valid nursing license shall be considered to have medication administration training.

Finding:

After July 1, 2016, the provider did not have at least two staff members trained in medication administration whether the early learning center administers medication or not.

1921-E: Tornado Drills

1921-E: Tornado drills shall be conducted at least once per month in the months of March, April, May, and June at various times of the day necessary to include all children and shall be documented.

Finding:

1921-E Based on record review: Provider failed to have conducted at least once per month in the months of March, April, May, and June at various times. Provider could not located tornado drills for the Months of March, April, May or June.

Not Met

Not Met