

Statement of Deficiencies

1723-A.&B.: CPR Certification

Not Met

1723-A.&B.: Infant and child CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR.

Adult CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR.

Finding:

1723-A.A.&B: Based on record review: The center failed to have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in infant and child CPR. 1 of 8 staff had documentation of this certification. S1 was the only staff on the premises with current certification in infant and Child CPR on 9/5/17. The center failed to have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in adult CPR. 1 of 8 staff had documentation of this certification. S1 was the only staff on the premises with current certification in adult CPR on 9/5/17.

1723-C.-D.: Pediatric First Aid

Not Met

1723-C.-D.: Pediatric First Aid

C. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid.

D. Certification - A copy of the certification for each such staff member shall be on-site at all times and available for inspection by the Licensing Division.

Finding:

1723-C.D: Based on record review: The center failed to have documentation that at least fifty percent (50%) of all staff on the premises and accessible to the children or at least four staff on the premises and accessible to children, whichever is less, have current certification in Pediatric First Aid. 1 of 8 staff had documentation of this certification. S1 was the only staff on 9/5/17 that had current certification in Pediatric First Aid.

1903-C: Free of Hazards

Not Met

1903-C: Indoor and outdoor areas shall be free of hazards.

Finding:

1903-C Based on observations:

The outdoor area were not free of hazards as Specialist observed 2 large holes on the playground that need to be filled in.