

Statement of Deficiencies

1723-A.&B.: CPR Certification

Not Met

1723-A.&B.: Infant and child CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR.

Adult CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR.

Finding:

1723-A.&B.: Based on record review: Provider failed to have the required number of staff present at the time of this inspection who had current CPR certification as required as only 3 of the 7 staff on duty had current certification.

1723-C.-D.: Pediatric First Aid

Not Met

1723-C.-D.: Pediatric First Aid

C. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid.

D. Certification - A copy of the certification for each such staff member shall be on-site at all times and available for inspection by the Licensing Division.

Finding:

1723-C.-D. Based on record review: Provider failed to have the required number of staff present at the time of this inspection who had current certification in Pediatric First Aid as required as only 3 of the 7 staff on duty had current certification.

2101-A.8: Vehicle in Good Repair

Not Met

2101-A.8: Vehicles shall be maintained in good repair.

Finding:

2101-A.8 Based on observations: Blue Bird bus now being utilized for transportation has a missing outside mirror on passenger side. A Mirror was observed inside rear of bus behind passenger seat.