

## Statement of Deficiencies

### 1901.G.&H.: Equipment

Not Met

1901.G.&H.: G. All equipment used by children shall be maintained in a clean and safe condition and in good repair.  
H. Moveable equipment shall be secured and supported so that it shall not fall or tip over.

#### Finding:

1901.G.&H.: Equipment: Based on observations: All of the center equipment used by children were not maintained in a safe condition and in good repair. Specialist observed in the infant room at 9:30am, an infant strapped and seated in a floor cradle swing. Specialist observed the metal frame of the seat bend and fold over as the infant leaned forward. S1 removed the swing from the infant room and stated she will dispose of it. At 9:46am, Specialist observed on the outside play yard, the swing set slide and slide ladder were detached and bent and hanging to the side. One of the two swings were broken at the seat and hanging by one chain. The other chain was hanging with nothing attached. S1 stated she will remove the broken equipment.

### 1903.C.: Free of Hazards

Not Met

1903.C.: Indoor and outdoor areas shall be free of hazards.

#### Finding:

1903.C.: Free of Hazards: Based on observations: The indoor area was not free of hazards as Specialist observed at 9:29am, the bottom of an electrical receptacle was missing a protective cover. S1 stated a piece of the protective cover broke in one of the slots of the receptacle. S1 corrected by placing masking tape over the bottom receptacle.