

Statement of Deficiencies

1723-A.&B.: CPR Certification

Not Met

1723-A.&B.: A - Infant and child CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR.

B - Adult CPR - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in adult CPR.

Finding:

1723-A&B: CPR Certification. Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in infant and child CPR. 2 out of 5 staff on site had CPR. requirement is 3 out of 5.

1723-C.-D.: Pediatric First Aid

Not Met

1723-C.-D.:

C. Pediatric First Aid - Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid.

D. Certification - A copy of the certification for each such staff member shall be on-site at all times and available for inspection by the Licensing Division.

Finding:

1723-CD: Pediatric First Aid, based on record review, Fifty percent of staff members on the premises of a center and accessible to children, or at least four staff on the premises and accessible to children, whichever is less, shall have current certification in Pediatric First Aid. 2 out of 5 staff on the premises had First Aid. 3 out of 5 is required.

1901-Q: Staff Personal Belongings

Not Met

1901-Q: The personal belongings of center staff members shall be inaccessible to children.

Finding:

1901-Q: Staff Personal belongings, based on observation, The personal belongings of center staff members shall be inaccessible to children. Staffs purse was on the stack of cots in S2 room

1907-A.1-2: High Chairs

Not Met

1907-A.1-2:

1. The high chair manufacturer's restraint device shall be used when children are sitting in a high chair.

2. Children who are either too small or too large to be restrained using the manufacturer's restraint device shall not be placed in a high chair.

Finding:

1907-A.1-2: High Chairs, based on observation, The high chair manufacturer's restraint device shall be used when children are sitting in a high chair. Provider corrected while specialist was present.